


TEHNIČNI LIST – DIMENZIJE

HIDROMOTORJI MP




	L	L1
	(mm)	
MP 40	136,5	7,4
MP 50	135,5	6,67
MP 80	139,5	10,67
MP 100	142	13,33
MP 125	145,5	16,67
MP 160	150	21,33
MP 200	155,5	26,67
MP 250	162	33,33
MP 315	171,5	42,67
MP 400	182	53,33


		MP 40	MP 50	MP 80	MP 100	MP 125	MP 160	MP 200	MP 250	MP 315	MP 400
cm/vrtljaji		40,5	49,5	79,2	99	123,8	158,4	198	247,5	316,8	396
Vrtljaji (rpm)	konstantni	1480	1210	755	605	489	378	303	242	190	150
	s prekinitvami	1555	1515	945	755	605	472	378	303	236	189
Navor (daNm)	konstantni	6,2	9,4	15,1	19,3	23,7	31,3	36,6	38		36
	s prekinitvami	8,2	11,9	19,5	23,7	29,8	37,8	45,6	58,3	56	59
	max.	10,7	14,3	22,4	27,5	36,5	43,8	55	68,5	85	85,4
Moč (kW)	konstantna	8,4	10,1	10,2	10,5	10,2	10,1	10	7,5	5,8	4,6
	s prekinitvami	11,6	12,2	12,5	12,8	12	12,1	12		9	7,8
Priključni tlak (bar)	konstantni	175									
	s prekinitvami	200									
	max.	225									
Padec tlaka (bar)	konstantni	140							110	90	70
	s prekinitvami	175								140	115
	max.	225									180
Pretok olja (L/min)	konstantni	60									
	s prekinitvami	75									
Priključni navoj		1/2"									
Teža (kg)		5,7	5,8	5,9	6,1	6,2	6,4	6,6	6,8	7,1	7,6



DIAGRAMI



MP 40





MP 50










MP 315



MP 400

